

Main panel

**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Rentokil  
**BROMAKIL**  
SUPER RAT GRAIN BAIT

ACTIVE CONSTITUENT: 0.05g/kg BROMADIOLONE  
READY TO USE GRAIN BAIT FOR THE CONTROL OF RATS AND MICE.

(500g, 2kg, 4kg, 15kg) NET

AUSTRALIAN MADE

RENTOKIL INITIAL Pty Ltd A.B.N. 98 000 034 597  
150 Mowbray Road, Willoughby, NSW 2068 Australia  
Telephone 02 9370 9300  
a Rentokil Initial company

<b>N.R.A.</b>
<b>APPROVED LABEL (TEXT)</b>
Label No: 48145/1201
Date: 4/1/02
Signature: C. Hall

*Ancillary panel 1*

**DIRECTIONS FOR USE:**

**RESTRAINTS**

DO NOT exceed 3m between bait stations for mice, or 9m for rats.

DO NOT place baits in open.

<b>SITUATION</b>	<b>PEST</b>	<b>RATE</b>	<b>CRITICAL COMMENTS</b>
Apply where pests occur in and around industrial commercial, agricultural and domestic buildings.	Rats	150g per bait tray	Put measured quantity of bait in suitable containers, ie bait trays. Protect baits from water where possible. BAITING STRATEGY- Eliminate as far as practicable, all alternative food sources. Bait infested area. Place baits under cover. Inspect baits daily. Replace eaten baits. If eaten quickly increase number of baits. Continue observation and replenishment until no more baits are taken. Baiting for 2 weeks is necessary to reduce rat/mouse numbers.
	Mice	50g per bait tray	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

The use of this product for the control of protected native rodents requires permission from wildlife authorities.

**GENERAL INSTRUCTIONS**

**PRECAUTION:** DO NOT allow bait to contaminate foodstuffs or food intended for human or animal consumption. Do not apply bait to crops.

Place baits in locations which are inaccessible to other animals and birds. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Place baits in locations inaccessible to animals other than target animals. The product is restricted to use in and around buildings (within 2 metres) or enclosed spaces.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

Break, crush, puncture and bury empty containers and dispose of unused bait in a local authority landfill. If not available bury the containers or unused bait below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Dispose of carcasses safely by burning or burying in an approved landfill.

**SAFETY DIRECTIONS:** Poisonous if swallowed. Do not inhale dust. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 1126. Vitamin K<sub>1</sub> (PHYTOMENADIONE) is antidotal.

**MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY:** This product as supplied is of a high grade and believed to be suitable for any purpose for which it is expressly recommended and must be used in accordance with the Directions for Use given on the label. No responsibility is accepted in respect of the product save those non-excludable conditions implied by any Federal and State legislation or law of a Territory.

**NRA Approval No. 48145/1201**

**Batch No.**

**D.O.M.**

**Bar code**