



## Coopex® Insecticidal Dusting Powder Industrial Strength

1/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Coopex® Insecticidal Dusting Powder Industrial Strength  
**Product code (UVP)** 06068847

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Pty Ltd.  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Australia. GHS Hazardous Chemical Information List (Hazardous Substances Information System (HSIS))

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Hazard label for supply/use required.

##### Hazardous components which must be listed on the label:

Permethrin

**Signal word:** Warning

##### Hazard statements

H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.



**Coopex® Insecticidal Dusting Powder Industrial Strength**

2/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

**Precautionary statements**

- P261 Avoid breathing dust.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves.
- P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

No other hazards known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical nature**

Permethrin 25:75 10g/kg  
Chemical nature Dustable powder (DP)

| Chemical Name                             | CAS-No.    | Concentration [%] |
|---|------------|-------------------|
| Permethrin                                | 52645-53-1 | 1.06              |
| Talc                                      | 14807-96-6 | 0.88              |
| Other ingredients (non-hazardous) to 100% |            |                   |

**SECTION 4. FIRST AID MEASURES**

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

**4.1 Description of first aid measures**

- Inhalation** Keep patient warm and at rest. If symptoms persist, call a physician. Oxygen or artificial respiration if needed.
- Skin contact** Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician. Clean contaminated clothing and shoes before re-use or discard if they cannot be thoroughly cleaned.
- Ingestion** Rinse mouth. Do NOT induce vomiting. Keep patient warm and at rest. Obtain medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**



## Coopex® Insecticidal Dusting Powder Industrial Strength

3/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

**Symptoms** The following symptoms may occur:, Prolonged and repeated contact with skin, eyes or mucous membranes may cause irritation., Burning sensation, Cough, Sneezing, Respiratory disorder, Pulmonary oedema, Nausea, Vomiting, Diarrhoea, Abdominal pain, Salivation, Dizziness, Blurred vision, Headache, anorexia, Somnolence, Coma, Seizures, Convulsions, Tremors, Ataxia, Muscular fasciculation

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote. Monitor: respiratory and cardiac functions. ECG - monitoring (Electrocardiogram). Contraindication: atropine.

## SECTION 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Foam, Dry powder, Water spray

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released:, Hydrogen chloride (HCl), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** Wear self-contained breathing apparatus and protective suit.

**Further information** Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Whenever possible, contain fire-fighting water by diking area with sand or earth.

**Hazchem Code** 2Z

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Use personal protective equipment. Avoid contact with spilled product or contaminated surfaces. Keep unauthorized people away. An emergency shower must be readily accessible to the work area.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.



**Coopex® Insecticidal Dusting Powder Industrial Strength**

4/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect and transfer the product into a properly labelled and tightly closed container.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

**Hygiene measures** Avoid contact with skin, eyes and clothing.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

| Components | CAS-No.    | Control parameters               | Update  | Basis    |
|------------|------------|----------------------------------|---------|----------|
| Permethrin | 52645-53-1 | 5 mg/m <sup>3</sup><br>(TWA)     | 12 2011 | AU NOEL  |
| Permethrin | 52645-53-1 | 10 mg/m <sup>3</sup><br>(SK-SEN) |         | OES BCS* |

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

**Personal protective equipment - End user**

**Respiratory protection** Disposable dust mask

**Hand protection** Rubber gloves

**Skin and body protection** Long-sleeved shirt and long pants

**Engineering Controls**

**Advice on safe handling** Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

**Form** powder



**Coopex® Insecticidal Dusting Powder Industrial Strength**

5/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

**SECTION 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

Not applicable

**10.5 Incompatible materials** Iron, Oxidizing agents, Strong acids, Halogenated compounds

**10.6 Hazardous decomposition products** Thermal decomposition can lead to release of:  
Hydrogen chloride (HCl)  
Carbon oxides

**SECTION 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) 1,479 mg/kg  
The value mentioned relates to the active ingredient permethrin.

**Acute inhalation toxicity** LC50 (Rat)  
685 mg/m<sup>3</sup>  
Exposure time: 3 h  
The value mentioned relates to the active ingredient permethrin.

**Acute dermal toxicity** LD50 (Rabbit) > 2,000 mg/kg  
The value mentioned relates to the active ingredient permethrin.

**Skin irritation** Mild skin irritation. (Rabbit)  
The value mentioned relates to the active ingredient permethrin.

**Eye irritation** Mild eye irritation. (Rabbit)  
The value mentioned relates to the active ingredient permethrin.

**Sensitisation** Non-sensitizing.  
The value mentioned relates to the active ingredient permethrin.

**Assessment mutagenicity**

Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Permethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

**Assessment toxicity to reproduction**

Permethrin did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Permethrin did not cause developmental toxicity in rats and rabbits.

**Assessment repeated dose toxicity**

Permethrin did not cause specific target organ toxicity in experimental animal studies.

**Aspiration hazard**

Based on available data, the classification criteria are not met.



**Coopex® Insecticidal Dusting Powder Industrial Strength**

6/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

**Information on likely routes of exposure**

Dusts may cause upper respiratory tract irritation, coughing.  
May cause irritation., Avoid contact with skin.  
May cause mild irritation to eyes.  
Low acute oral toxicity.

**Early onset symptoms related to exposure**

Refer to Section 4

**Delayed health effects from exposure**

Refer to Section 11

**Exposure levels and health effects**

Refer to Section 4

**Interactive effects**

Not known

**When specific chemical data is not available**

Not applicable

**Mixture of chemicals**

Refer to Section 2.1

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

|  |   |
|--|---|
| <b>Toxicity to fish</b>                  | LC50 (Poecilia reticulata (guppy)) 0.0076 mg/l<br>Exposure time: 96 h<br>The value mentioned relates to the active ingredient permethrin.                     |
| <b>Toxicity to aquatic invertebrates</b> | EC50 (Daphnia magna (Water flea)) 0.00017 mg/l<br>Exposure time: 48 h<br>The value mentioned relates to the active ingredient permethrin.                     |
| <b>Toxicity to aquatic plants</b>        | EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.497 mg/l<br>Exposure time: 96 h<br>The value mentioned relates to the active ingredient permethrin. |

**12.2 Persistence and degradability**

**Biodegradability** Permethrin:  
Not rapidly biodegradable

**Koc** Permethrin: Koc: 100000

**12.3 Bioaccumulative potential**

**Bioaccumulation** Permethrin: Bioconcentration factor (BCF) 300  
Does not bioaccumulate.



## Coopex® Insecticidal Dusting Powder Industrial Strength

7/9

Version 1 / AUS  
102000014032Revision Date: 17.06.2016  
Print Date: 17.06.2016

### 12.4 Mobility in soil

Mobility in soil                      Permethrin: Immobile in soil

### 12.5 Other adverse effects

Additional ecological                No data available  
information

## SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SECTION 14. TRANSPORT INFORMATION

### ADG

|                            |   |
|----------------------------|---|
| UN number                  | <b>3077</b>   |
| Transport hazard class(es) | 9   |
| Subsidiary Risk            | None  |
| Packaging group            | III   |
| Description of the goods   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE) |
| Hazchem Code               | 2Z  |

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

### IMDG

|                            |   |
|----------------------------|---|
| UN number                  | <b>3077</b>   |
| Transport hazard class(es) | 9   |
| Subsidiary Risk            | None  |
| Packaging group            | III   |
| Marine pollutant           | YES   |
| Description of the goods   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE) |

### IATA

|                            |  |
|----------------------------|--|
| UN number                  | <b>3077</b>  |
| Transport hazard class(es) | 9  |
| Subsidiary Risk            | None   |
| Packaging group            | III  |
| Environm. Hazardous Mark   | YES  |
| Description of the goods   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE ) |



## Coopex® Insecticidal Dusting Powder Industrial Strength

8/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 33210

#### Hazardous Classification

Hazardous (National Occupational Health and Safety Commission - NOHSC)

#### SUSMP classification (Poison Schedule)

Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Coopex® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

#### Abbreviations and acronyms

|         |   |
|---------|---|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways                     |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road                                 |
| ATE     | Acute toxicity estimate   |
| AU OEL  | Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) |
| CAS-Nr. | Chemical Abstracts Service number   |
| CEILING | Ceiling Limit Value   |
| Conc.   | Concentration   |
| EC-No.  | European community number   |
| ECx     | Effective concentration to x %  |
| EINECS  | European inventory of existing commercial substances  |
| ELINCS  | European list of notified chemical substances   |
| EN      | European Standard   |
| EU      | European Union  |
| IATA    | International Air Transport Association   |
| IBC     | International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)      |
| ICx     | Inhibition concentration to x %   |
| IMDG    | International Maritime Dangerous Goods  |
| LCx     | Lethal concentration to x %   |





**Coopex® Insecticidal Dusting Powder Industrial Strength**

9/9

Version 1 / AUS  
102000014032

Revision Date: 17.06.2016  
Print Date: 17.06.2016

|           |  |
|-----------|--|
| LDx       | Lethal dose to x %   |
| LOEC/LOEL | Lowest observed effect concentration/level   |
| MARPOL    | MARPOL: International Convention for the prevention of marine pollution from ships   |
| N.O.S.    | Not otherwise specified  |
| NOEC/NOEL | No observed effect concentration/level   |
| OECD      | Organization for Economic Co-operation and Development   |
| OES BCS   | OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"   |
| PEAK      | PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.   |
| RID       | Regulations concerning the International Carriage of Dangerous Goods by Rail   |
| SK-SEN    | Skin sensitiser  |
| SKIN_DES  | SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.  |
| STEL      | STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. |
| TWA       | TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.  |
| TWA       | Time weighted average  |
| UN        | United Nations   |
| WHO       | World health organisation  |

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS